

LDWSF
4.8.1
09/11/2015

Sanga, Ravi

From: Sanga, Ravi
Sent: Friday, September 11, 2015 3:40 PM
To: 'Dyer, Miles'
Cc: 'William D. Ernst'; 'Dee Gardner'; 'Tom Colligan'; Daniel Balbiani
Subject: RE: Jorgensen Boeing Time Critical CMP Workplan EPA Approval and NTP

Miles and Will Based on our discussions, EPA will allow the Notice to Proceed for the Time Critical Excavation to include the unshored excavation area.

Based on our discussions as well, a final CMP removal workplan, from Jorgensen and Boeing, needs to be approved by EPA before any work can begin in the second/third quarters of 2016 and that final plan will need to have specific language regarding confirmational sampling and that such samples will need to be taken prior to backfill on the final leave surface and on top of the newly graded surface in order to establish a baseline.

Should you have any questions, give me a call.

Ravi

From: Sanga, Ravi
Sent: Friday, September 11, 2015 12:40 PM
To: 'Dyer, Miles'
Cc: William D. Ernst; 'Dee Gardner'; Tom Colligan
Subject: RE: Jorgensen Boeing Time Critical CMP Workplan EPA Approval and NTP

Miles I will need a figure showing conformational sampling locations (both for post excavation/pre backfill and following fill placement for the 2-66 area ASAP. Can you send this to me by Monday (Sept 14th) ?

From: Dyer, Miles [<mailto:mdyer@JorgensenForge.com>]
Sent: Friday, September 11, 2015 11:38 AM
To: Sanga, Ravi
Cc: William D. Ernst; Dee Gardner; Tom Colligan; Daniel Balbiani; Bartus, Dave; Mednick, Richard; Jeff B. Kray; Margason, Aubri N. (Perkins Coie); Baird, J. Christopher (Perkins Coie)
Subject: Re: Jorgensen Boeing Time Critical CMP Workplan EPA Approval and NTP

Thank you Ravi.

Sent from my iPhone

On Sep 11, 2015, at 11:31 AM, Sanga, Ravi <Sanga.Ravi@epa.gov> wrote:

Miles and Will – Attached is EPAs Conditional Approval of the CMP Workplan and Notice to Proceed.

Work at the 2-66-SP-10 boring area can begin Monday Sept 14th, 2015.

Let me know if you have any questions.

Ravi

<EPA Conditional Approval and Notice to Proceed CMP Workplan - TCR.pdf>